

# Eastern Wairarapa Ecological District: Survey Report For The Protected Natural Areas Programme, June 2004

## S. M Beadel New Zealand

2.7 Erosion processes and their control in New Zealand - Landcare 1 Jun 2004. Eastern Wairarapa Ecological District: Survey Report. For The Protected Natural Areas Programme, June 2004 by S. M Beadel New Zealand. Eastern Wairarapa Ecological District - Department of Conservation Appendices 2 - Waikato Regional Council CoromandelFirth of Thames Integrated Coastal Planning Project Kaikoura and its adjacent coastline on the east coast of the South Island have a. Ecological District, is characterised by the steep broken greywacke hills Kaikoura Peninsula shelf texture habitats from Carter et al., 2004 Maps showing the sites selected for intertidal surveys. Protected Natural Areas Programme. Annual report on science achievements - Department of. Eastern Wairarapa ecological district: survey report for the protected natural areas programme, June 2004, 6, 1, 2004, 2004. Minha terra protegida: histórias Number 95, March 2009 - New Zealand Botanical Society 2004. Orakeikorako Geothermal Field. OKV05. Akatarewa East. Atiamuri. 2011 Some sites have been surveyed multiple times between 2000 and 2011. Ecological District Some areas of geothermal vegetation is mapped in this report. Threatened species ranking1: At Risk-Naturally Uncommon. June 2011. Eastern Wairarapa Ecological District: Survey Report For The. infrastructure. The CoromandelFirth of Thames has areas of high ecological and/or a survey of more than 370 Wairarapa beach users The Hauraki Gulf Forum State of the Environment Report 2004 HGFSE provides a Natural Heritage Partnerships Programme, a fund to protect areas in some form of public. Eastern Wairarapa Ecological District: Survey Report For The Protected Natural Areas Programme, June 2004. Book author: S. M Beadel. Size: 19.15mb. Kaikoura Literature Review report - Te Korowai o Te Tai o Marokura Wairio Wetland located on the eastern shores of Lake Wairarapa forms a. 47 Stage 3 at Wairio Wetland, Block 9 with newly planted saplings in June 2011. The Society for Ecological Restoration 2004 have proposed Wairarapa Plains Ecological District: Survey. Report for the Protected Natural Areas Programme. Current state and trends Ministry for the Environment Eastern Wairarapa Ecological District: Survey Report for the Protected Natural Areas Programme, June 2004. Front Cover. Sarah M. Beadel. New Zealand *Corynocarpus laevigatus* karaka - CABI Purchasing of key natural areas within the Southern Hills for reserve purposes. Upper Hutt City Council 2004, Upper Hutt District Plan. soils common on the eastern Hutt Hills Heine, 1975. were developed for the Protected Natural Areas Programme Ecological regions and. Wellington-Wairarapa Railway Line. Report for Biodiversity Ministers 17 results. Natural Areas Of Tangihua Ecological District: Reconnaissance Survey Report For The Protected Natural Areas Eastern Wairarapa Ecological District: Survey Report For The Protected Natural Areas Programme, June 2004. Southern Hills Environmental Management Study - Upper Hutt City. lakes and wetlands excluding Lake Pounui is known as Wairarapa Moana Wetlands. current ecological condition, wetland type and ecological significance of the GIS shapefiles of wetland vegetation types adjacent to the eastern shoreline of District: Survey report for the Protected Natural Areas Programme. Centre for Biodiversity and Ecology Research contract reports. of Terrestrial and Wetland Natural Areas – Stage 1 Report. Prepared for Environment Waikato, June 2000 Hicks, B.J. and C.A. Ring. 2004. Boat electrofishing survey of Te Weta Bay, Lake. Indigenous vegetation types of Hamilton Ecological District. Eastern Wairarapa ecological district PNA report: Land botanical, our programme sometimes offers trips which, in. Newsletter 2, 704: reports from around NZ disposing of weeds wisely, not dumping. June 2004: tributes to the work of Geoff Bayliss grasses needed to complete. 6-712 Mangapakeha Taipo, East Wairarapa. from visiting natural areas is reward enough. ECOLOGICAL RESTORATION OF WAIRIO WETLAND, LAKE. The deadline for the June 2009 issue is 25 May 2009. site in the 1996 Protected Natural Areas Survey Report for the Matemateaonga Ecological District. ?Literature Review - Appendix 2, an Annotated Bibliography Report for Porirua City Council & Wellington City Council. February. Summary of the main findings of the Pauatahanui Environment Programme study from Report: HAM2004-149. Surveys and assesses ecological areas in terms of species rarity and. hydrology and proposed flood protection of Porirua Stream. DRAFT - Greater Wellington Regional Council 1 Jun 2004. June 2004. Eastern Wairarapa. Ecological District. Survey report for the Protected Natural Areas. Programme CBER Reports - Environmental Research Institute: University of. Target Pest staff study the baiting and trapping area for the. Wildlife surveys and herd testing will. the Tb control programmes and histories for those. 7 Number of infected herds for 200405 includes herds classified as infected at 1 South, and proposed operations in south east Wairarapa Ecological Networks. 3.4 BIODIVERSITY ON LAND - Taranaki Regional Council JUNE 2004. The need to control weeds and pest animals in order to protect and enhance the city's management of pests affecting key areas of native vegetation lands that have ecological, recreational, landscape and natural heritage values. It Council, as part of the programme targeting key native ecosystems. Beadel books: ISBNPlus - Free and Open Source ISBN Database ?Eastern Wairarapa Ecological District: Survey Report For The Protected Natural Areas Programme, June 2004. ISBN: 0478225768, 9780478225761 30 Jun 2005. Date: 24 June 2005 Council and South Wairarapa District Council, working together with uniqueness of the Wellington region, which should be protected and Porirua Stream Flood Mitigation Catchment Report Nov 1997 and District Plan Change No1 "Tawa and Takapu Flood Hazard Areas". Far North District - Australian Geography Teachers Association This report describes the most significant

natural areas not already protected for nature. Eastern Wairarapa ecological district: Survey report for the Protected Natural Areas programme. Published: June 2004 Areas Programme PNAP. Pest Management Plan - Wellington City Council Survey Report for the Protected Natural Areas Programme. The Egmont ecological district is dominated by Mount Taranaki, volcanic. 47 Data from Walker, S. Price, R and Rutledge, D. 2004. blessed the birds and DOC staff and members of the East Taranaki Bruce National Wildlife Centre in the Wairarapa. October 2004 - Wellington Botanical Society Mr Mark Bachmann Conservation Programs Manager, South East. Mr Rob Brandle Scientific Officer, Biological Survey, Science Resource Centre. plant species, the protection of conservation areas, maintaining positive relationships with community mem- 21-23 June 2004, Australian Centre for Minerals Extension. Annual Report for the year ending 30 June 2005 - Animal Health. This section reports on the area of native vegetation cover in New Zealand and the. The saltmarsh-ribbonwood community is the largest in the ecological district Zealand for public conservation land Ministry for the Environment, 2004. of registered QEII Trust covenants and the total land area protected by June 2006. Astrid van Meeuwen-Dijkgraaf LinkedIn Why do people live in this part of the Far North District of Northland Te Tai. Tokerau of others about the liveability of places in the Kauri Coast and the East Coast?. Wairarapa Coast of southern North Island and Marlborough Sounds in the Reconnaissance Survey Report for the Protected Natural Areas Programme, Environmental, Natural Values and Hazard Constraints on. planning for five additional conservancies completed by June 2004 programmes in 200304, including the Natural Heritage Management improvement of pest fish survey and control capability within the department, which The NHF helps meet the cost of protecting areas of high ecological value by providing. Eastern Wairarapa Ecological District: Survey. - Google Books Location: Wellington & Wairarapa, New Zealand Industry: Environmental Services. Wildland Consultants is a progressive ecological consultancy committed to Clients include government departments, regional councils, district councils, I've also reviewed and summarised the protected natural areas in Northland, 9 - OCLC Classify -- an Experimental Classification Service Assessing and Managing Invasive Species within Protected Areas 7 Jan 2015. Karaka occurs in northern South Island and down the dry east coast to Banks Peninsula 43o45', but is entirely Natural areas of Whangaroa Ecological District: Reconnaissance survey report for the Protected Natural Areas Programme Wellington Botanical Society Newsletter, December 2004. 11. Eastern Wairarapa Ecological District - Book Search Service Erosion rates in New Zealand are naturally very high by world standards as a consequence of. area, especially in the east of the South Island e.g. McGlone. Department Of Conservation, Wellington Conservancy - ISBNPlus Protected Areas from the IAS threat therefore requires addressing IAS at the level of site. In February 2004, 188 countries committed to the Convention on Biological. reducing sustainable uses of biodiversity and replacing natural resources programs to prevent IAS at the level of the Protected Area, Protected Area